



Climate change monitoring and Geoinformatics: A geospatial perspective

Ossai EN ^{1*}, Anyadiegwu PC ²

¹ Department of Surveying and Geoinformatics, University of Delta, Agbor, Delta State, Nigeria

² Department of Surveying and Geoinformatics, Imo State University, Owerri, Imo State, Nigeria

* Corresponding Author: **Ossai EN**

Article Info

ISSN (online): 2582-7138

Impact Factor: 5.307 (SJIF)

Volume: 05

Issue: 01

January-February 2024

Received: 17-11-2023;

Accepted: 19-12-2023

Page No: 368-372

Abstract

This paper explores the symbiotic relationship between climate change monitoring and geoinformatics, highlighting the indispensable role of a geospatial perspective in comprehending and addressing the complexities of this global challenge. Geoinformatics, encompassing spatial data, satellite imagery, remote sensing, and Geographic Information Systems (GIS), emerges as a crucial tool for monitoring temperature changes, sea level rise, land cover alterations, and greenhouse gas emissions. The integration of geospatial technologies not only provides a comprehensive view of climate change dynamics but also facilitates informed decision-making, effective adaptation strategies, and global collaboration. The paper underscores the urgent need for governments, researchers, and policymakers to invest in and leverage geoinformatics to navigate the intensifying impacts of climate change, protect vulnerable communities, and promote sustainable practices for a resilient and climate-ready future.

Keywords: Climate change; Geographic Information Systems (GIS); Geoinformatics; Greenhouse gas emissions; Sea level rise

1. Introduction

Climate change represents a multifaceted global challenge, extending far beyond environmental considerations to profoundly impact societies and economies, challenging established norms, and presenting existential threats. As the Earth undergoes unprecedented transformations, it becomes imperative not only to comprehend the nuances of these changes but also to actively monitor and understand them. The ability to monitor climate change serves as the cornerstone for the development of effective strategies aimed at mitigating its adverse impacts and adapting to evolving circumstances.

Geoinformatics, encompassing the science and technology of acquiring, analyzing, interpreting, distributing, and utilizing geographic information, emerges as an indispensable tool in the pursuit of comprehensive climate change monitoring. Geoinformatics offers a holistic and spatially explicit perspective that enhances our understanding of the interconnected nature of environmental processes. Through the integration of satellite imagery, remote sensing technologies, and geographic information systems (GIS), geoinformatics enables the collection and analysis of vast amounts of spatial data, contributing to a nuanced comprehension of climate change dynamics.

Satellite-based remote sensing technologies are pivotal in monitoring critical climate change indicators, providing real-time and historical data that aids in trend analysis. For instance, satellite observations of temperature variations over time contribute to a more accurate assessment of global warming trends (Jones *et al.*, 2016) ^[6]. This spatially explicit data allows scientists to identify regional variations and discern the differential impacts of climate change across diverse landscapes (Hansen *et al.*, 2013) ^[4].

Furthermore, GIS, a fundamental component of geoinformatics, facilitates the integration and analysis of diverse datasets. This capability is instrumental in modeling and predicting the potential impacts of climate change on specific regions. GIS-based models help identify vulnerable areas susceptible to extreme weather events, such as floods or droughts, enabling policymakers to formulate targeted adaptation strategies (IPCC, 2014) ^[5]. Additionally, GIS aids in the assessment of land cover changes, tracking deforestation and urbanization patterns, and evaluating their consequences on ecosystems and biodiversity (Turner *et al.*, 2015) ^[13].

The importance of a geospatial perspective in addressing climate change lies in its ability to offer actionable insights derived from spatially explicit data. This perspective enhances the precision of climate change assessments, contributing to informed decision-making at local, regional, and global scales. Geospatial technologies enable the monitoring of sea level rise, a critical indicator for assessing the vulnerability of coastal areas and planning adaptation measures (Church *et al.*, 2013) [3]. They also allow for the mapping of greenhouse gas emissions, aiding in the identification of emission sources and the formulation of mitigation strategies (Saunio *et al.*, 2020) [12].

The urgency of addressing climate change necessitates a robust and multidimensional approach that encompasses both understanding and monitoring. Geoinformatics, with its capacity to provide a comprehensive and spatially explicit perspective, emerges as a critical component in this endeavor. By harnessing the power of geospatial technologies, we can enhance our ability to monitor climate change indicators, analyze complex environmental processes, and develop targeted strategies to mitigate and adapt to the impacts of climate change. As we confront the challenges of a changing climate, the integration of geoinformatics remains pivotal for fostering a sustainable, resilient, and globally collaborative response to this pressing global issue.

2. Geoinformatics in Climate Change Monitoring

Geoinformatics, a multidisciplinary field at the intersection of geography, information science, and technology, plays a pivotal role in climate change monitoring by harnessing spatial data, satellite imagery, remote sensing, and Geographic Information Systems (GIS). This amalgamation of technologies provides a robust framework for acquiring, analyzing, and interpreting information about the Earth's surface and atmosphere in the context of climate change, offering valuable insights into various parameters critical for understanding and addressing the complex issue.

Satellite-based remote sensing technologies stand out as indispensable tools for monitoring changes in the Earth's climate. Satellites equipped with advanced sensors contribute significantly by capturing crucial data on temperature variations, ice cover dynamics, and deforestation (Wagner *et al.*, 2019) [14]. These observations offer a comprehensive and global perspective, facilitating the identification of patterns, trends, and anomalies that deepen our understanding of the dynamics of climate change (Khandelwal *et al.*, 2021) [7].

The wealth of spatial data generated by remote sensing technologies enhances the precision and scope of climate change monitoring. For instance, satellite imagery allows for the tracking of sea level rise, providing real-time information crucial for assessing the vulnerability of coastal regions (Llovel *et al.*, 2014) [9]. These observations contribute to a holistic understanding of climate change dynamics and aid in predicting the future trajectory of sea level changes (Bamber *et al.*, 2018) [1].

In parallel, GIS acts as a powerful tool for researchers, enabling them to integrate diverse datasets and create spatial models that reveal intricate interconnections between different climate variables (Openshaw and Turton, 1996) [10]. These models are instrumental in predicting future climate scenarios and assessing the vulnerability of specific regions to climate-related risks (Saaty, 1987) [11]. For example, GIS can be employed to map areas prone to flooding, droughts, or extreme heat events, providing policymakers with crucial

information for developing targeted adaptation strategies (Chen *et al.*, 2019) [2].

The use of GIS in climate change research extends to applications such as land cover change analysis. GIS facilitates the integration of satellite imagery and other spatial datasets to monitor alterations in land cover, such as deforestation and urbanization (Liu *et al.*, 2015) [8]. The ability to analyze land cover changes spatially enables researchers to assess the impact of these changes on ecosystems, biodiversity, and overall environmental health. In essence, geoinformatics, through the integration of spatial data, satellite imagery, remote sensing, and GIS, offers a comprehensive and spatially explicit perspective on climate change. This perspective is critical for understanding the nuances of climate change dynamics, predicting future scenarios, and formulating targeted adaptation and mitigation strategies.

3. Monitoring and Analyzing Climate Change Indicators

The utilization of geospatial technologies in monitoring and analyzing climate change indicators represents a sophisticated approach that significantly enhances our comprehension of the complex and interconnected systems shaping our planet. These advanced tools, including remote sensing, satellite imagery, and Geographic Information Systems (GIS), offer a multifaceted perspective that is essential for formulating informed strategies to address the challenges posed by climate change.

Remote sensing, a pivotal component of geospatial technologies, involves the collection of data from a distance, typically through satellite or aerial platforms. This enables the acquisition of comprehensive and real-time information on various environmental parameters, such as temperature, land cover, and atmospheric conditions. Satellite imagery, in particular, provides a visual representation of changes occurring on the Earth's surface, offering valuable insights into alterations in ecosystems, deforestation, ice melt, and other critical indicators of climate change.

Geographic Information Systems (GIS) further augment the capabilities of geospatial technologies by facilitating the integration, analysis, and visualization of spatial data. By overlaying diverse layers of information, GIS enables researchers and policymakers to identify patterns, trends, and potential correlations among different climate change indicators. This spatial analysis is instrumental in identifying vulnerable areas, understanding the impact of climate change on specific regions, and formulating targeted mitigation and adaptation strategies.

The synergy of these geospatial tools allows scientists and decision-makers to monitor changes over time, assess the magnitude of environmental shifts, and predict future trends. This information is indispensable for devising effective climate action plans, as it helps in identifying hotspots of climate-related risks, managing natural resources sustainably, and implementing resilient infrastructure.

Moreover, geospatial technologies contribute to international collaboration and data sharing, fostering a global understanding of climate change. By providing a standardized and interoperable platform for data exchange, these technologies support coordinated efforts in research, policy development, and disaster response on a worldwide scale.

i. Temperature Changes

Geo informatics, a field that integrates geospatial

technologies with information science, plays a pivotal role in monitoring and analyzing global temperature trends (Hansen *et al.*, 2013) [4]. This is achieved through the meticulous analysis of satellite-derived temperature data, contributing vital information that is instrumental for comprehending the dynamic patterns of climate change on a global scale. The utilization of geoinformatics, in conjunction with satellite technology, offers a robust and comprehensive approach to understanding shifts in climate patterns and identifying regions that are experiencing significant warming trends.

The analysis of satellite-derived temperature data within the realm of geoinformatics enables researchers and scientists to gain real-time insights into the Earth's thermal dynamics. This data, acquired from satellite sensors designed to capture thermal information, allows for the creation of detailed temperature maps and facilitates the identification of regions undergoing pronounced warming. By leveraging the spatial and temporal dimensions inherent in geospatial technologies, this method ensures a holistic and accurate assessment of temperature variations worldwide.

The information derived from geoinformatics becomes essential for tracking long-term climate trends, identifying anomalous temperature patterns, and assessing the potential impacts on ecosystems, weather systems, and human societies. This nuanced understanding is particularly critical in the context of climate change, where global temperature variations have far-reaching consequences, including shifts in precipitation patterns, sea level rise, and extreme weather events.

Furthermore, geoinformatics facilitates the integration of satellite-derived temperature data with other environmental datasets, allowing for a more comprehensive analysis of the interconnected factors influencing climate change. This holistic approach supports a deeper understanding of the complex interactions between temperature variations and other environmental variables, such as land cover changes, ocean currents, and atmospheric conditions.

The global scale of geoinformatics applications in monitoring temperature trends contributes to the development of evidence-based policies and strategies for climate change mitigation and adaptation. Decision-makers can utilize the insights gained from geospatial analyses to formulate targeted interventions, allocate resources efficiently, and develop adaptive measures to address the specific challenges posed by changing temperature patterns.

Geoinformatics, with its focus on integrating geospatial technologies for information analysis, serves as a crucial tool for monitoring global temperature trends. By harnessing satellite-derived temperature data, this approach provides a comprehensive and accurate assessment of temperature variations on a global scale, offering valuable insights for understanding climate change dynamics and informing strategies for sustainable environmental management.

ii. Sea Level Rise

Satellite altimetry, a sophisticated technology that employs satellites equipped with altimeters to measure the precise height of the ocean surface, stands as a cornerstone in the comprehensive monitoring of changes in sea levels (Church *et al.*, 2013) [3]. This advanced technique provides a global perspective on the dynamic nature of Earth's oceans by continuously collecting data on sea level variations. The importance of this data cannot be overstated, as it offers critical insights into the impacts of climate change,

particularly the ongoing rise in sea levels attributed to the melting of polar ice caps and thermal expansion.

Complementing the capabilities of satellite altimetry, Geographic Information Systems (GIS) play a pivotal role in coastal mapping, enhancing our ability to monitor and respond to changes in sea levels. GIS integrates a diverse array of spatial datasets, including information derived from satellite altimetry, to create detailed and interactive maps that capture coastal topography, land use patterns, and vulnerability indices. These maps serve as indispensable tools for assessing the potential risks associated with rising sea levels, allowing for a nuanced understanding of the complex interactions between coastal environments and changing ocean dynamics.

The synergy of satellite altimetry and GIS facilitates the identification of vulnerable coastal areas susceptible to inundation, erosion, and other climate-induced impacts. This information is of paramount importance for policymakers, urban planners, and local communities, as it empowers them to develop adaptive measures and climate-resilient strategies. By understanding the specific vulnerabilities of different regions, decision-makers can tailor interventions to address the unique challenges faced by coastal communities, thereby mitigating risks and enhancing resilience.

Moreover, the integration of these geospatial technologies significantly contributes to proactive climate adaptation. Decision-makers can leverage the precise and up-to-date data provided by satellite altimetry and GIS to formulate evidence-based policies and strategies. This proactive approach enables the prioritization of protective measures for vulnerable coastal communities and ecosystems. Such measures may include the development of sustainable infrastructure projects, implementation of effective land-use regulations, and establishment of robust emergency response protocols, ensuring that coastal areas are well-prepared to cope with the challenges posed by changing sea levels.

The synergy of satellite altimetry and coastal mapping using GIS constitutes a powerful toolset for monitoring sea level changes. These geospatial technologies not only offer accurate and timely data on sea level rise but also empower decision-makers with the insights needed to implement targeted and resilient measures for coastal management and climate adaptation. This integrated approach contributes significantly to our capacity to address the multifaceted challenges associated with the dynamic nature of coastal environments in the context of ongoing climate change.

iii. Land Cover Changes

Remote sensing technologies play a pivotal role in the ongoing efforts to monitor and understand alterations in land cover, ranging from deforestation and urbanization to changes in vegetation patterns (Turner *et al.*, 2015) [13]. These technologies utilize sensors on satellites, aircraft, or drones to capture data about the Earth's surface, providing a wealth of information that is invaluable for assessing the impact of human activities and natural processes on the landscape. When coupled with Geographic Information Systems (GIS), remote sensing becomes even more powerful, allowing for a detailed analysis of the spatial extent and consequences of these land cover changes on ecosystems and biodiversity. Deforestation, often driven by agricultural expansion, logging, or infrastructure development, is a prime example of a land cover change that remote sensing helps to monitor. Satellite imagery can detect changes in forest cover over

time, providing data on the extent and location of deforested areas. This information is crucial for understanding the rate of deforestation, its drivers, and the associated environmental consequences.

Similarly, urbanization, marked by the expansion of cities and infrastructure, is another significant land cover change that remote sensing technologies are adept at capturing. High-resolution satellite imagery and aerial photography enable the identification and monitoring of urban growth, allowing researchers and policymakers to assess the impact on natural landscapes, biodiversity, and ecosystems.

Changes in vegetation patterns, influenced by factors such as climate change, land use practices, and natural disturbances, are also closely monitored through remote sensing. Vegetation indices derived from satellite data provide valuable insights into the health and productivity of ecosystems, helping to identify areas of concern and potential ecological shifts.

The integration of geospatial data through GIS enhances the analysis of these land cover changes by providing a spatial framework for organizing and interpreting information. GIS allows researchers to overlay different layers of data, such as land cover maps, biodiversity hotspots, and ecological sensitivity indices, facilitating a comprehensive understanding of the dynamics at play. This spatial analysis enables the identification of critical areas where land cover changes may have significant implications for the environment, helping guide conservation efforts and sustainable land management practices.

Furthermore, GIS supports the modeling of potential future scenarios, allowing for the projection of land cover changes and their consequences. This proactive approach is essential for developing strategies to mitigate the negative impacts of land cover changes on biodiversity, ecosystems, and overall environmental health.

The synergy of remote sensing technologies and GIS provides a robust framework for monitoring and analyzing alterations in land cover. This integrated approach not only helps to identify changes but also enables a holistic understanding of their spatial dynamics and environmental implications. By leveraging these technologies, researchers and decision-makers can make informed choices that promote sustainable land management and biodiversity conservation in the face of ongoing environmental transformations.

iv. Greenhouse Gas Emissions

Geospatial techniques play a pivotal role in advancing our capabilities to monitor and address critical aspects of climate change, particularly in the context of greenhouse gas emissions (Saunois *et al.*, 2020). This comprehensive approach is essential for effective climate change mitigation strategies. Satellite-based sensors and Geographic Information Systems (GIS) emerge as indispensable tools in the identification, assessment, and tracking of greenhouse gas emissions, contributing significantly to the broader goal of fostering sustainable practices and mitigating the adverse impacts of climate change.

Satellite-based sensors equipped with advanced technology enable the collection of precise and real-time data on greenhouse gas emissions. These sensors can detect and quantify emissions from various sources, such as industrial facilities, transportation networks, and natural processes. This spatially explicit information allows for the

identification of emission hotspots, assessment of emission intensities, and tracking of changes over time. GIS complements this by providing a spatial framework for organizing and analyzing this data, allowing researchers and policymakers to visualize and comprehend the spatial distribution of emissions at local, regional, and global scales. In essence, geospatial technologies offer a powerful and accurate means of monitoring key climate change indicators, with greenhouse gas emissions being a critical facet of this effort. This spatially explicit information is invaluable for policymakers and researchers who are actively engaged in developing and implementing sustainable practices. By understanding the spatial patterns and dynamics of emissions, decision-makers can tailor interventions to address specific sources and prioritize areas for emission reduction initiatives. The integration of satellite imagery, remote sensing, and GIS contributes to a more holistic understanding of climate change dynamics. Beyond greenhouse gas emissions, geospatial technologies provide critical data on temperature trends, sea level rise, and land cover changes. This multidimensional approach facilitates a comprehensive assessment of the interconnections between different environmental factors, allowing for informed decision-making in the development of strategies to combat climate change.

Scientific research and policy formulation benefit significantly from the wealth of data generated by geospatial technologies. This information not only enhances our understanding of the current state of the environment but also supports the modeling of future scenarios. Decision-makers can utilize this data to develop evidence-based policies, plan for sustainable land use, and implement measures to reduce emissions and enhance climate resilience.

Geospatial technologies, through their integration of satellite imagery, remote sensing, and GIS, represent a critical component in the global effort to combat climate change. These technologies provide accurate and spatially explicit information on key climate change indicators, enabling scientists, policymakers, and researchers to work collaboratively towards sustainable practices and effective climate change mitigation.

4. Conclusion

The call to adopt a geospatial perspective in the ongoing battle against climate change resonates as a fundamental necessity. In this global endeavor, geoinformatics emerges as a linchpin, offering a robust set of tools and methodologies that are indispensable for monitoring, analyzing, and comprehending the intricate interactions within the Earth's climate system. As climate change impacts intensify and extend their reach, the integration of geospatial technologies becomes an increasingly vital ally, playing a pivotal role in facilitating informed decision-making, crafting effective adaptation strategies, and fostering global collaboration.

Geoinformatics provides a dynamic lens through which to understand climate change by offering a spatially explicit perspective on environmental changes. This approach unveils the complex interplay among various climate variables, including temperature shifts, sea level fluctuations, and land cover transformations. The comprehensive spatial insight enhances our ability to grasp the multifaceted dynamics of climate change, enabling more accurate predictions and targeted interventions in the face of evolving environmental challenges.

Governments, researchers, and policymakers share a collective responsibility to invest in and harness the power of geoinformatics. Continued commitment to advancing this field is paramount for maintaining and enhancing our capacity to comprehend the intricacies of climate change. Governments, in particular, play a crucial role in fostering an environment conducive to research and innovation in geospatial technologies, providing the necessary resources and frameworks to drive progress and support the transition towards sustainable practices.

Researchers and scientists must remain at the forefront of geoinformatics research, pushing the boundaries of technology and methodology to unlock new insights into climate change dynamics. Collaborative efforts across disciplines and borders are essential in addressing the global nature of climate change. International partnerships, data-sharing initiatives, and the development of standardized methodologies will strengthen our collective ability to confront the challenges posed by a changing climate.

Armed with insights derived from geoinformatics, policymakers can craft proactive measures to mitigate the impacts of climate change. Zoning regulations, disaster preparedness plans, and other policies are informed by geospatial information, aiding in the development and implementation of strategies that safeguard vulnerable communities and enhance resilience. The integration of geospatial perspectives into policy frameworks supports the transition to sustainable practices, fostering a climate-ready future.

The integration of geospatial technologies into the discourse on climate change is not merely an option but a necessity. It represents an investment in a sustainable and resilient future, where informed decision-making and collaborative efforts pave the way for a world better equipped to face the challenges posed by a changing climate. As we navigate the complex web of environmental changes, geoinformatics remains a beacon, illuminating the path towards a more sustainable, climate-resilient global community.

5. References

1. Bamber JL, van den Broeke M, Ettema J, Lenaerts JTM, Rignot E. Antarctic ice sheet discharge driven by atmosphere-ocean feedbacks at the Last Glacial Termination. *Scientific Reports*. 2018; 8(1):1-9.
2. Chen J, Liu Y, Liu Y, Zhu Y. Satellite-based high-resolution mapping of ground-level PM_{2.5} concentrations over the contiguous United States. *Remote Sensing of Environment*. 2019; 231:111176.
3. Church JA, Clark PU, Cazenave A, Gregory JM, Jevrejeva S, Levermann A, *et al.* Sea level change. In: *Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge University Press, 2013, 1137-1216.
4. Hansen J, Ruedy R, Sato M, Lo K. Global surface temperature change. *Reviews of Geophysics*. 2013; 48(4):RG4004.
5. IPCC. *Climate Change 2014: Impacts, Adaptation, and Vulnerability. Part A: Global and Sectoral Aspects. Contribution of Working Group II to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge University Press, 2014.
6. Jones PD, Lister DH, Osborn TJ, Harpham C, Salmon M, Morice CP. Hemispheric and large-scale land surface air temperature variations: An extensive revision and an update to 2010. *Journal of Geophysical Research: Atmospheres*. 2016; 121(9):5125-5143.
7. Khandelwal A, Joshi PK, Adamowski JF. Satellite-based remote sensing for forest health monitoring: A review. *International Journal of Applied Earth Observation and Geoinformation*. 2021; 99:102246.
8. Liu Y, Sivapalan M, Kumar P, Hipsey M. Urban land teleconnections and sustainability. *Proceedings of the National Academy of Sciences*. 2015; 112(26):8127-8132.
9. Llovel W, Willis JK, Landerer FW, Fukumori I, Velicogna I. Deep-ocean contribution to sea level and energy budget not detectable over the past decade. *Nature Climate Change*. 2014; 4(11):1031-1035.
10. Openshaw S, Turton I. A parallel implementation of self-organizing maps for spatial data analysis. *Transactions in GIS*. 1996; 1(3):237-250.
11. Saaty TL. The analytic hierarchy process-what it is and how it is used. *Mathematical Modelling*. 1987; 9(3-5):161-176.
12. Saunois M, Jackson RB, Bousquet P, Poulter B, Canadell JG. The global methane budget 2000-2017. *Earth System Science Data*. 2020; 12(3):1561-1623.
13. Turner W, Rondinini C, Pettorelli N, Mora B, Leidner AK, Szantoi Z, *et al.* Free and open-access satellite data are key to biodiversity conservation. *Biological Conservation*. 2015; 182:173-176.
14. Wagner W, Aspetsberger M, Boerner WM, Cao S, Chabrilat S, D'Urso G, *et al.* The Copernicus Sentinel-1 mission for the improvement of terrestrial monitoring. *Sensors*. 2019; 19(24):5431.