



Landmine detection robotic vehicle using arm

Yash K Motanayak ^{1*}, Maulik B Rami ²

¹ Department of Electronics and Communication, Sankalchand Patel College of Engineering, Sankalchand Patel University, Visnagar, Gujarat, India

² Professor, Department of Electronics and Communication, Sankalchand Patel College of Engineering, Sankalchand Patel University, Visnagar, Gujarat, India

* Corresponding Author: **Yash K Motanayak**

Article Info

ISSN (online): 2582-7138

Impact Factor: 5.307 (SJIF)

Volume: 05

Issue: 02

March-April 2024

Received: 11-02-2024;

Accepted: 16-03-2024

Page No: 719-725

Abstract

The use of cutting-edge technology to locate landmines in high-risk regions is the goal of the landmine detection robotic vehicle. This car offers a thorough approach to landmine detection thanks to its ARM microcontroller, Ground Penetrating Radar (GPR), Global System for Mobile communication (GSM), GPS, ESP Cam 32, and Bluetooth. Effective and precise detection is ensured by the ARM microcontroller, which also controls the vehicle's functions and data processing. The vehicle can precisely detect buried landmines by scanning the ground with the help of the GPR system. The car may send data and alerts in real time to a remote location via the GSM module, allowing for additional analysis and response. Strategic planning and safe navigation are aided by the vehicle's ability to map out regions where landmines are identified, thanks to the GPS system's precise location data. Visual confirmation and in-depth analysis are made easier with the help of the ESP Cam 32, which records visual data of the landmines discovered. Furthermore, Bluetooth connectivity enables smooth data transfer and control communication with external devices. To sum up, the landmine detection robotic vehicle provides a smart and practical way to find and handle landmines in dangerous areas, which eventually leads to improved safety protocols and possibly even saves lives.

Keywords: ARM microcontroller, gpr, gps, gsm, esp cam32, Bluetooth

1. Introduction

A notable advancement in demining technology is the creation of a robotic landmine detection vehicle featuring an arm, GPR, GPS, GSM, ESP camera, and Bluetooth. This state-of-the-art vehicle combines several cutting-edge features to improve the accuracy, efficiency, and safety of landmine removal and detection operations. The robotic vehicle effectively locates and maps buried landmines by combining GPS and Ground Penetrating Radar (GPR) technologies, guaranteeing thorough coverage of hazardous zones. The integration of a robotic arm facilitates the safe manipulation and elimination of detected landmines, thereby significantly reducing the risk to human operators involved in demining.

During demining missions, the real-time communication capabilities provided by GSM and Bluetooth facilitate smooth coordination and remote vehicle operation, hence optimizing decision-making and response protocols. Moreover, the incorporation of an ESP camera enhances situational awareness and operational supervision by providing real-time video streaming for secure remote monitoring and control. By strengthening safety protocols, improving operational effectiveness, and streamlining data collection procedures, this autonomous robotic vehicle has the potential to revolutionize.

2. History

Metal Detectors: Metal detectors are widely used for landmine detection. They work by detecting the metallic components of landmines, such as the casing or triggering mechanisms. When a metal detector comes into proximity with a landmine, it generates an audible or visual signal to alert the operator.



Fig 1: Metal Detectors

They emit an electromagnetic field and detect changes caused by metal objects like landmines. Trained personnel sweep the area with the metal detector, looking for metallic signatures.

Ground Penetrating Radar (GPR): - GPR technology is another effective method for landmine detection. It uses electromagnetic waves to penetrate the ground and create a subsurface image. By analyzing the reflected signals, GPR can identify variations in soil density caused by buried landmines. GPR systems consist of a control unit and an antenna that scans the area. The collected data is processed and interpreted to locate potential landmines. GPR is

beneficial because it can detect non-metallic landmines and provide detailed information about size, depth, and location.



Fig 2: Ground Penetrating Radar (GPR)

Visual Inspection: Trained personnel visually search for signs of disturbed soil, wires, or other indicators that may suggest the presence of a landmine. Visual inspection is another method used for landmine detection. It involves physically searching an area for visible signs of landmines, such as disturbed soil, tripwires, or other indicators. Trained personnel carefully examine the terrain, looking for any suspicious objects or anomalies that could potentially be landmines.




Fig 3: Visual Inspection

Animals: Dogs and rats can be trained to detect the scent of explosives, making them valuable assets in landmine detection efforts. Animals are indeed used for landmine detection. Some animals, like rats and dogs, have a keen sense of smell and can be trained to detect the scent of

explosives used in landmines. Rats are particularly effective due to their small size, agility, and ability to navigate through different terrains. They are trained to scratch or indicate the presence of a landmine when they detect the scent.



Fig 4

3. Importance of landmine detection

Humanitarian Impact: Landmines pose a significant threat to civilian populations, especially in post-conflict areas. Detection helps to locate and remove these hidden explosives, reducing the risk of accidental injuries or deaths. Restoring Land for Development: - Landmines can render large areas of land unusable, preventing communities from utilizing them for agriculture, infrastructure development, or other essential activities. Detection allows for the safe clearance of landmines, enabling communities to reclaim and utilize these areas.

Peacekeeping and Conflict Resolution: In conflict zones, landmines can hinder peacekeeping efforts and impede the return of displaced populations. Detecting and removing landmines is a crucial step towards creating a safe and stable environment for communities affected by conflict.

Environmental Preservation: Landmines not only pose a threat to human lives but also have a detrimental impact on the environment. Detection and removal of landmines help protect ecosystems, wildlife, and natural resources from the destructive effects of these explosives.

Promoting Economic Growth: Landmine contamination can hinder economic development by limiting access to resources, impeding infrastructure projects, and hindering trade. By detecting and clearing landmines, we can create safer conditions for economic growth and prosperity.

4. Methodology

1. Initialization: All the necessary parts of the robotic vehicle for detecting landmines are started by the ARM microcontroller. It makes sure that all of the devices including the ESP Cam, Bluetooth, GPS, GPR, and GSM are turned on and prepared for use.

For the vehicle to detect landmines properly and efficiently, this first step is essential. As the vehicle's central control unit, the ARM microcontroller synchronizes and activates these crucial parts in order to get the vehicle ready for its detecting

mission. This procedure lays the groundwork for the vehicle to be deployed and operated safely in potentially dangerous situations.

2. GPR Scanning: Ground Penetrating Radar (GPR) scanning is the first important task performed by the robotic landmine detection vehicle after it has been initialized. In this case, the car releases electromagnetic pulses into the earth. After that, the signals that resurface from the subsurface layers are received by the GPR system and examined. By examining these signals, the GPR system may identify specific patterns and oscillations in the signals that indicate the presence of buried landmines.

Because it makes it possible to identify any hazards that may be hiding beneath the surface, this scanning procedure is essential to the vehicle's operation. The vehicle can efficiently scan the ground and identify locations that might contain landmines or other dangerous things by using GPR technology.

3. Data processing: The landmine detection robotic vehicle gathers a significant amount of raw data from the subsurface layers following the Ground Penetrating Radar (GPR) scanning. Signals, patterns, and information gathered throughout the scanning process are all included in this data. The next crucial stage is data processing, which involves precisely identifying possible landmine locations by analyzing, filtering, and interpreting the raw data that has been collected. The data is processed by the vehicle's onboard processing unit, which employs signal processing techniques and algorithms to differentiate between innocuous things and potential hazards such as landmines.

The vehicle can provide comprehensive maps or reports showing the regions that need for additional research or potential demining operations through this complex data processing stage. Effective data processing is necessary for the vehicle to deliver precise and trustworthy information to support the safe identification and removal of landmines, hence enhancing the mission's overall success.




Fig 5: Block Diagram

4. Gps tracking: The robotic vehicle used for landmine detection relies heavily on GPS tracking. As the car moves across the assigned area, the Global Positioning System (GPS) technology enables it to track its location and movements with accuracy in real time. The GPS technology uses satellite signals to pinpoint the exact location of the vehicle, which allows it to map the scanned area in great

detail. This data is essential for tracking the vehicle's trajectory, guaranteeing complete coverage of the region, and identifying particular points of interest found throughout the scanning procedure. GPS tracking provides useful data for additional research and decision-making while improving the vehicle's efficiency, accuracy, and overall efficacy in identifying landmines.




Fig 6: How GPS Works

5. Alert generation: Using GSM technology to improve alert communication in the robotic landmine detection vehicle is known as alert generating with GSM. The system leverages GSM capabilities to send notifications via text message or phone call to the operators or appropriate authorities, when possible, landmine locations are found. Real-time communication guarantees that dangers are identified and reported swiftly, facilitating prompt decision-making and reaction measures. The integration of GSM into alert generating enhances the vehicle's capacity to warn important individuals about possible hazards, facilitating the effective administration and coordination of demining activities. A landmine detecting mission's overall success is supported by efficient alarm generating via GSM, which also improves safety precautions and enables prompt response.

6. Visual confirmation: Visual confirmation with cam 32 entails taking pictures or videos of the suspected regions where possible landmines have been found using camera 32, a particular camera on the landmine detection robotic vehicle. Cam 32 is activated to offer visual data for additional analysis and verification once the warnings are produced. Cam 32's high-quality photos and video recordings are essential for verifying landmine presence, supporting decision-making, and directing demining operations.

The truck improves its capacity to recognize and respond to possible hazards by using camera 32 for visual confirmation. This helps to ensure the safety of workers engaged in landmine detection and removal missions.




Fig 7: Circuit Diagram

7. Wireless communication: A Bluetooth module can be used in the landmine detection robotic vehicle setup to facilitate smooth communication between the different parts. In order to share and control data with the ARM processor, GPR sensor, GPS module, GSM technology, ESP Cam, and other linked devices, the Bluetooth device is an essential component of the system. The robotic vehicle can send real-

time data, photos, and alerts to operators or authorities via Bluetooth connectivity, which improves the efficacy and efficiency of the landmine detection procedure. The incorporation of Bluetooth technology guarantees the smooth operation of all parts, allowing the robotic vehicle to precisely identify any dangers and expedite prompt replies to guarantee safe demining operations.



Fig 8: Snapshot of module

8. Safety procedure

Autonomous and Remote Operation: Ensure that the vehicle can be operated both autonomously and remotely to lower operator risk in dangerous environments.

Real-Time Monitoring: React swiftly to any potential threats that the vehicle senses by using real-time data and alert monitoring.

Appropriate Training: Provide operators with comprehensive instructions on how to operate the robotic vehicle and safety procedures so they can effectively handle emergencies. This is known as "appropriate training."

Safe Communication: Use encrypted communication protocols via GSM and Bluetooth to prevent unauthorized access and ensure safe data delivery.

Emergency Stop: Provide a way to bring the vehicle to a rapid stop in case of an emergency or other unanticipated situation. By adhering to these safety guidelines, the landmine detection robotic vehicle can function effectively while prioritizing the safety of its operators and bystanders.

5. Advantage

1. Safety: By removing the need for human operators to enter dangerous regions, robotic vehicles lower the possibility of accidents resulting in landmine explosions that could cause harm or death.

2. Efficiency: Accurate subterranean landmine detection and mapping are made possible by the integration of GPS and GPR (Ground Penetrating Radar) technologies, which facilitates effective demining operations.

3. Versatility: The robotic arm's ability to precisely manipulate and handle landmines that have been detected ensures their safe neutralization or removal without the need for human intervention.

4. Real-time Communication: The robotic vehicle, operators, and command centers may communicate in real-time thanks to the integration of GSM and Bluetooth technologies, which speeds up decision-making and coordination.

5. Remote Operation: By enabling operators to observe and manage the vehicle from a safe distance, the ESP cam's live video streaming capabilities and the vehicle's autonomous capabilities increase the vehicle's operating flexibility.

6. Data Collection and Analysis: The vehicle can gather a ton of information about the locations of landmines and the surrounding environment. This information can then be evaluated to help with decision-making and better demining tactics.

6. Disadvantage

1. Due of its complexity, the robotic vehicle for detecting landmines may present maintenance issues, needing specialized knowledge for repairs and troubleshooting.
2. It can be expensive to develop and operate such a complex system; costs for software updates, equipment maintenance, and updates could put a strain on already tight budgets.
3. The incorporation of several technology raises the possibility of failures, which could compromise the vehicle's ability to locate and remove landmines.
4. Relying too much on technology to achieve accurate detection increases the possibility of errors or operational disturbances, which might reduce the vehicle's overall effectiveness in demining operations.

7. Features add in Future

1. **Augmented Reality (AR):** Use AR technology to improve the operator's situational awareness by providing real-time visual overlays of identified landmines and other pertinent information.
2. **Collision Avoidance System:** Combine sensors and algorithms to intelligently avoid collisions in order to safely and effectively traverse challenging terrain.
3. **Robotic Arm Enhancements:** Provide the robotic arm with improved manipulation skills that are more accurate and adaptable, like the capacity to safely neutralize or disarm discovered landmines.
4. **Real-time Data Transmission:** To enable smooth communication between the vehicle, operators, and command centers, enhance data transmission capabilities with the use of cutting-edge GSM and Bluetooth technologies.
5. **Environmental Adaptability:** For optimal performance in a variety of environments, outfit the car with sensors that can identify and adjust to environmental parameters including weather, topographical variations, and vegetation density.

8. Conclusion

The integration of an arm, GPR, GPS, GSM, ESP cam, and Bluetooth in a landmine detection robotic vehicle is a groundbreaking advancement in demining technology. This sophisticated combination of tools enhances safety, efficiency, and effectiveness in the removal of landmines. By utilizing Ground Penetrating Radar (GPR) and GPS technology, the vehicle can accurately detect and map out landmines, enabling precise and systematic demining operations. The robotic arm adds a layer of versatility by allowing for safe handling and disposal of detected landmines. Real-time communication through GSM and Bluetooth ensures seamless coordination between the vehicle, operators, and command centers, facilitating swift decision-making and response. The ESP cam provides live video streaming for remote monitoring, enabling operators to control the vehicle from a safe distance. Overall, this autonomous robotic vehicle revolutionizes demining efforts by improving safety, operational efficiency, data collection, and analysis, ultimately contributing to saving lives and making demining processes more reliable and precise.

9. Reference

1. Nandakumar K, K Esavan, R., N, N., M, S., & Y, V. A. Military based landmine detection robotic vehicle. *International Journal of Research Granthaalayah*, 2023, 11(5). <https://doi.org/10.29121/granthaalayah.v11.i5.2023.5146>
2. RLG, Venkatesh R, Goutham HT, Gm V. Land Mine Detection Robotic Vehicle with GPS and GSM International Journal Tracking System. *For Research in Applied Science and Engineering Technology*. 2023; 11(5):3446-3448. <https://doi.org/10.22214/ijraset.2023.52038>
3. B Snakish an Bharadwaj, G Shiva Sai, D yage Akash, A kula Bhanu Prakash, Dr. G Channa Keshava Reddy. *IOT Based Landmine Detection Robot with GPS System*, 2023.

4. Vrushali D Pawar, Patkar PB, Naik PA, Patil NB, Choogle RA. IoT Based Landmine Detection Robot with GPS System, 2019. <https://doi.org/10.5281/ZENODO.2637903>
5. RLG, RV, Goutham HT, GM V. Land Mine Detection Robotic Vehicle with GPS and GSM Tracking System International Journal for Research in Applied Science and Engineering Technology. 2023; 11(5):34463448. <https://doi.org/10.22214/ijraset.2023.52038>
6. Divya Divya V Sai Vidya Institute of Technology 2 Publications 0 Citations. Landmine detection robot using arm cortex, 2020.
7. Vincze V. The legality of the use of lethal autonomous weapon systems in the conduct of hostilities, 2023. <https://doi.org/10.15476/elte2019.076>
8. maria Garcia Fernandez, Yuri Alvarez Lopez, IEEE Technology Synthetic Aperture Radar Imaging System for Landmine Detection Using a Ground Penetrating Radar on Board an Unmanned Aerial Vehicle Publication august 6, 2018. <https://doi.org/10.1109/ACCESS.2018.286357>
9. Sharan Kumar, D Mahadevapura, Mamata V Shetty A Novel approach for Segmentation and Classification of brain MR Images using Cluster Deformable Based Fusion Approach in Periodicals of Engineering and Natural Sciences. 2018; 6(2):237-242.
10. Mega lingam RK, Nigella D, Kiran PR, Geisler's, Nigam K. Swarm based autonomous landmine detecting robots. ICICI (p. 5). IEEE Xplore compliant, 2017.
11. Ganesh TD, Pradip NN, Shrikant UV. Landmine detection robotic vehicle with GPS positioning. Journal of information, knowledge and research in electronics and communication engineering, 2017, 4.
12. H Liao, C Jia, L. Wang. A Landmine Detection Robot Based on Machine Learning, International Conference on Robotics and Automation (ICRA), 2020.
13. MB Iqbal, M Ehsan, SH. Bag. Design and Development of a Landmine Detection Robot with Wireless Control, International Journal of Advanced Research in Computer Science and Software Engineering. 2018; 8(11):277-283.
14. AK Roy, RK Roy. Design and Development of an Intelligent Landmine Detection Robot, International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering. 2013; 2(8):3841-3847.
15. PTV Anh, DH. Dang. Development of a Landmine Detection Robot Using Metal Detector and Ultrasonic Sensor, International Journal of Engineering and Technology. 2015; 7(6):61-65.
16. BMH Barky, MS Ibrahim, SA. Nasir, Design and Development of a Mobile Robot for Landmine Detection Using Wireless Sensor Network, IEEE 4th International Conference on Control System, Computing and Engineering (ICCSCE), 2014.