International Journal of Multidisciplinary Research and Growth Evaluation.

Adapting Logistics to Uncertainty: Dynamic Routing Models in Multi-Modal Transportation Networks in the Middle East for Real-Time Optimization and Supply Chain Resilience

Samir Ali Syed
Department of Procurement and Supply Chain, Chartered Procurement and Supply Chain Management (CharProSCM) Team, Riyadh, Saudi Arabia

* Corresponding Author: **Samir Ali Syed**

Article Info

Abstract

Multi-modal transportation networks in the Middle East are embedded within one of the world's most operationally volatile logistical environments, where compound uncertainty from geopolitical instability, extreme climatic events, infrastructure heterogeneity, and demand unpredictability routinely disrupts conventional static routing approaches. Despite growing research in dynamic routing and supply chain resilience globally, a critical gap persists in the development of regionally calibrated, real-time adaptive logistics models capable of managing multi-modal interdependencies under simultaneous, compounding uncertainty sources specific to the Middle East. This study addresses this gap by proposing a hybrid dynamic routing framework that integrates stochastic dynamic programming, deep reinforcement learning, and live IoT sensor data to enable real-time route optimization across road, rail, air, and maritime modalities. The research objective is to design, evaluate, and validate a computationally tractable adaptive logistics system that maximizes service levels and supply chain resilience while minimizing cost and delay under uncertainty. Simulation experiments calibrated on Gulf Cooperation Council (GCC) logistics corridors demonstrate that the proposed dynamic routing model reduces average delivery delays by 28–34% and improves composite supply chain resilience metrics by 41% relative to deterministic routing baselines. Furthermore, the framework achieves a 19% reduction in total logistics cost under moderate disruption scenarios. Findings confirm that integrating machine learning-driven re-routing with stochastic modeling produces significant operational gains, and that adaptive logistics systems represent a viable and scalable path toward robust supply chain resilience in the Middle East. Implications extend to policymakers, logistics operators, and infrastructure planners navigating the region's evolving transportation landscape.

1. Introduction

The Middle East constitutes a strategically vital node in global supply chains, linking Asia, Europe, and Africa through an intricate web of maritime, road, rail, and air transportation corridors. Mega-projects such as the Saudi Vision 2030 logistics transformation, the UAE National Logistics Strategy 2030, and Qatar's National Vision 2030 infrastructure program have significantly elevated the region's profile as a logistics hub [1]. Yet the very characteristics that make this region strategically important—its geopolitical complexity, climatic extremes, regulatory fragmentation, and rapid infrastructure development—simultaneously generate pervasive and compounding uncertainty that strains conventional logistics planning approaches [2].

Fig 1:

Dynamic routing in multi-modal transportation networks refers to the adaptive, real-time reconfiguration of vehicle and shipment paths across heterogeneous transport modes in response to changing operational conditions [3]. Unlike static routing, which assigns fixed paths based on pre-computed solutions, dynamic routing models incorporate feedback mechanisms, real-time data integration, and optimization algorithms capable of revising routing decisions as new information emerges [4]. The application of dynamic routing to multi-modal transportation networks introduces additional complexity: decisions must account for mode-switching costs, intermodal transfer times, modal capacity constraints, and the propagation of disruptions across connected transport layers [5].

Uncertainty in Middle East logistics manifests across multiple dimensions. Geopolitical volatility, including border closures, sanctions regimes, and regional conflict spillovers, creates sudden and unpredictable path unavailability [6]. Extreme weather events—sandstorms, flash floods, and temperature extremes affecting vehicle operability—impose stochastic delays on both road and air operations [7]. Demand uncertainty compounds these supply-side disruptions, particularly in sectors such as humanitarian logistics, petroleum supply chains, and e-commerce, which have grown exponentially across the Gulf region in recent years [8]. Port congestion at facilities including Jebel Ali, King Abdullah Port, and Hamad Port introduces further stochastic variability into maritime-based supply chains [9].

Despite the recognized strategic importance of this problem domain, existing literature on dynamic routing under uncertainty exhibits a notable regional gap. The preponderance of dynamic routing and supply chain resilience research is anchored in European, North American, and East Asian contexts, with limited attention to the specific institutional, infrastructural, and environmental characteristics of Middle East logistics [10]. The effectiveness of real-time routing systems depends on balancing data availability with model adaptability, as increasing data complexity can constrain the agility of optimization models [11]. Moreover, existing regional studies tend to address either dynamic routing or supply chain resilience in isolation, and few integrate real-time data-driven optimization with

stochastic modeling within a unified multi-modal framework. This paper addresses these gaps by making four principal contributions: (1) proposing a hybrid dynamic routing framework specifically calibrated for Middle East multi-modal transportation networks; (2) integrating stochastic dynamic programming with deep reinforcement learning and IoT-based real-time data feeds; (3) demonstrating quantitative improvements in supply chain resilience through simulation experiments on GCC logistics corridors; and (4) providing a regional benchmarking analysis comparing static, stochastic, and adaptive dynamic routing approaches under compound uncertainty scenarios. The remainder of this paper is structured as follows: Section 2 describes multi-modal transportation network architecture; Section 3 characterizes sources of uncertainty; Sections 4 and 5 develop the routing and resilience models; Sections 6 and 7 present data integration and simulation results; Sections 8 through 10 address industry applications, limitations, and future directions; and Section 11 concludes the paper.

2. Multi-Modal Transportation Network Architecture

A multi-modal transportation network is formally represented as a directed graph G = (N, E, M), where N is the set of nodes representing origin, destination, and intermediate facilities; E is the set of arcs representing transport links; and M denotes the set of available transport modes [12]. In the Middle East context, the node set includes seaports (e.g., Jebel Ali, Salalah, Aqaba), airports (e.g., Dubai International, Hamad International, King Khalid), inland dry ports, land border crossings, and urban distribution centers spanning the GCC, Levant, and broader MENA region [13].

The modal composition of Middle East logistics networks reflects a particular asymmetry: road transport currently accounts for approximately 65–70% of all freight movements by volume, while maritime shipping dominates by weight for international trade [14]. Rail infrastructure, though historically underdeveloped, is undergoing rapid expansion through projects including the GCC Railway, Saudi Landbridge, and Israel's Be'er Sheva–Eilat corridor [15]. Air freight plays a disproportionately significant role relative to global averages, driven by the high-value, time-sensitive cargo hub strategies of Emirates SkyCargo, Qatar Airways Cargo, and Saudia

Cargo [16].

Multi-modal network architecture in the region is characterized by intermodal transfer nodes—facilities where cargo transitions between modes—at which delays, documentation requirements, and handling costs introduce significant stochastic variability [17]. The design of robust dynamic routing systems must therefore model not only within-mode travel time distributions, but also the stochastic properties of intermodal transfer operations, which are systematically understudied in existing routing literature [18].


Fig 2: Schematic of the Middle East Multi-Modal Transportation Network

3. Sources of Uncertainty in Middle East Logistics

Understanding and taxonomizing uncertainty is a prerequisite for designing effective dynamic routing and adaptive logistics systems. Uncertainty in Middle East logistics can be classified along three primary axes: supply-side, demand-side, and systemic [19].

Supply-side uncertainty encompasses disruptions to transport infrastructure and carrier availability. Geopolitical events—including the 2019–2020 Gulf maritime security incidents, ongoing conflict-related border closures in Yemen and Iraq, and sanctions-driven route restrictions—represent a class of sudden, high-impact supply-side shocks that fundamentally alter feasible route sets in multi-modal networks [6]. Sandstorm events, quantified by the World Meteorological Organization at 30–40 high-intensity dust episodes per year in the Arabian Peninsula, impose measurable delays on road transport, reduce airport operational capacity, and affect vessel navigation in shallow coastal zones [7].

Demand-side uncertainty is driven by the rapid structural transformation of Middle East economies. The exponential growth of e-commerce—projected to reach $50 billion in GCC markets by 2025—generates highly volatile, spatially fragmented demand patterns that deviate substantially from historical forecasting models [8]. Seasonal demand surges associated with Ramadan, Hajj logistics, and major retail periods create predictable but extreme demand amplitudes that challenge static capacity allocation [20].

Systemic uncertainty encompasses regulatory, documentary, and institutional sources of logistics disruption. Customs clearance delays across GCC land borders, inconsistent transit visa regimes for truck drivers, and incomplete harmonization of transport regulations between GCC member states impose stochastic documentary delays that can range from hours to days [21]. The coexistence of advanced digital customs systems (e.g., UAE's Mirsal, Saudi Arabia's Fasah) with legacy paper-based processes in parts of the Levant creates a bifurcated information environment that complicates real-time data integration [22].

Table 1: Sources of Uncertainty and Their Logistics Impact in Middle East Networks

Uncertainty Source	Category	Frequency	Logistics Impact
Geopolitical disruptions	Supply-side	Episodic, severe	Route unavailability, border closures
Sandstorms / extreme heat	Supply-side	30–40 events/year	Road delay, airport closure, vessel re-routing
Demand volatility (e-commerce, Hajj)	Demand-side	Seasonal + structural	Capacity overflow, last-mile failure
Port congestion (Jebel Ali, Hamad)	Supply-side	Continuous, variable	Maritime delay, container dwell increase
Customs / documentary delays	Systemic	High at land borders	Multi-hour to multi-day delay at nodes
Fuel price volatility	Demand-side / economic	Continuous	Cost unpredictability, carrier rate shifts

4. Dynamic Routing Models and Optimization Techniques

Dynamic routing models constitute the algorithmic core of adaptive logistics systems in uncertain multi-modal transportation networks. This study reviews and extends four principal modeling paradigms: stochastic dynamic programming (SDP), robust optimization (RO), metaheuristic approaches, and deep reinforcement learning (DRL) [3, 23].

Stochastic dynamic programming models uncertainty by representing the routing problem as a Markov Decision Process (MDP) with state space S capturing current network

conditions, action space A defining available routing decisions, transition function T encoding probabilistic network state evolution, and reward function R mapping actions to cost and service level outcomes [24]. The SDP formulation enables optimal policy computation under uncertainty but faces the well-known curse of dimensionality as network size and modal complexity increase [25]. For Middle East multi-modal networks with hundreds of nodes and multiple transport modes, direct SDP solution is computationally intractable, necessitating approximation techniques such as approximate dynamic programming (ADP) and rollout algorithms [26].

Robust optimization provides an alternative paradigm that seeks routing decisions optimal under worst-case realizations of uncertain parameters within defined uncertainty sets [27]. Robust dynamic routing models have demonstrated strong performance in scenarios with bounded, set-defined uncertainty—a reasonable assumption for regulatory and documentary delays in Middle East networks. However, RO approaches can be overly conservative when uncertainty sets are misspecified, leading to suboptimal performance under typical operating conditions [28].

Metaheuristic algorithms—including genetic algorithms, ant colony optimization, and simulated annealing—offer computationally tractable approaches to large-scale dynamic routing problems but lack convergence guarantees and may underperform in rapidly evolving network states [29]. Recent hybrid approaches combining metaheuristics with machine learning-based initialization have demonstrated improved performance in multi-modal vehicle routing with time windows [30].

Deep reinforcement learning has emerged as the most promising paradigm for real-time dynamic routing in complex, uncertain networks. DRL agents learn routing policies through repeated interaction with simulated or real network environments, without requiring explicit uncertainty models [31]. Twin Delayed Deep Deterministic Policy Gradient (TD3) and Proximal Policy Optimization (PPO) algorithms have demonstrated state-of-the-art performance in multi-city routing problems, and their adaptation to multi-modal settings is an active research frontier [32]. The proposed framework in this study employs a DRL agent with multi-modal action encoding, trained on calibrated GCC network simulation environments.

Table 2: Comparison of Dynamic Routing Models

| Model	Uncertainty Handling	Scalability	Real-Time Capability	Key Limitation
SDP / ADP	Probabilistic (MDP)	Low–Medium	Limited	Dimensionality curse
Robust Optimization	Worst-case sets	Medium	Moderate	Conservative; set misspecification
Metaheuristics	Implicit / embedded	High	Moderate	No convergence guarantee
Deep Reinforcement Learning	Model-free; learned	High	High	Training data requirements; interpretability
Proposed Hybrid (SDP + DRL)	Combined probabilistic + learned	High	High	Computational overhead of dual architecture

Fig 3: Dynamic Routing Algorithm Framework

5. Adaptive Logistics and Resilience Mechanisms

Supply chain resilience is defined as the ability of a logistics system to anticipate, absorb, adapt to, and recover from disruption while maintaining continuous service delivery at acceptable cost and quality levels [33]. In the context of dynamic routing for multi-modal networks in the Middle East, resilience is operationalized through four interconnected mechanisms: redundancy, flexibility, velocity, and visibility [34].

Redundancy in dynamic routing refers to the maintenance of pre-computed alternative routing options—termed shadow routes—for key origin-destination pairs. Shadow route generation leverages the SDP component of the proposed framework to pre-calculate ranked alternative paths under hypothetical disruption scenarios, enabling rapid deployment without incurring real-time computational overhead [35]. The integration of modal redundancy—pre-negotiated capacity agreements with alternative carriers across road, air, and maritime modes—further enhances network absorptive capacity.

Flexibility is achieved through the DRL agent's learned mode-switching policy, which enables proactive modality transitions when disruption signals are detected. The model encodes modal flexibility as a continuous action dimension, allowing fractional load splitting across modes in response to capacity constraints—a significant advancement over binary mode-switching models in prior literature [36]. Flexibility mechanisms have demonstrated particular value in the GCC context, where air freight capacity often provides effective surge absorption for high-value cargo when road and maritime alternatives are disrupted [16].

Velocity denotes the speed of routing system response to disruption signals. The real-time integration architecture described in Section 6 enables disruption detection-to-rerouting latency of under 90 seconds in simulation experiments—a threshold aligned with the operational re-planning windows identified in interviews with regional logistics managers. Recovery velocity is further enhanced through pre-certified carrier agreements and pre-cleared customs fast-track designations available under UAE and Saudi FASAH+ programs [22].

Visibility—the continuous, end-to-end monitoring of cargo location, condition, and network state—underpins all other resilience mechanisms. The adaptive logistics framework integrates GPS telematics, RFID, IoT environmental sensors, and blockchain-anchored documentation data to maintain dynamic supply chain visibility across all transport modes and border crossing nodes [37].

6. Data-Driven Logistics and Real-Time Integration

The operational effectiveness of dynamic routing models in multi-modal transportation networks is contingent on the quality, latency, and interoperability of real-time data inputs. The proposed adaptive logistics system integrates six primary data streams: GPS telematics from commercial vehicle fleets, port authority vessel tracking AIS data, weather and environmental sensor feeds, customs and border authority electronic data interchange (EDI) messages, demand management system feeds from shipper ERP platforms, and traffic management system outputs from smart city infrastructure [38].

Data fusion is performed through a federated edge computing architecture that reduces latency by processing sensor data at network edge nodes before aggregating normalized state representations to the central DRL routing engine [39]. Edge nodes are positioned at major intermodal transfer facilities—seaports, airports, and dry ports—enabling local re-routing decisions with sub-second latency for time-critical interventions. The federated architecture additionally addresses data sovereignty concerns relevant to multi-national Middle East logistics operations, where regulatory requirements in Saudi Arabia, UAE, and Qatar restrict cross-border transmission of operational data [40].

Machine learning modules perform three real-time analytical functions within the integration framework: anomaly detection identifies statistical deviations in transit time series indicative of emerging disruptions; demand forecasting models provide short-horizon (2–72 hour) demand predictions that inform proactive capacity pre-positioning; and predictive maintenance algorithms applied to connected vehicle telematics reduce unplanned vehicle downtime, a significant source of supply-side uncertainty in road freight operations across the GCC [41].


Fig 4: Real-time data integration and decision-making system architecture

7. Simulation, Case Studies, and Regional Applications

The proposed dynamic routing framework was evaluated through a series of agent-based simulation experiments calibrated on empirical network data from four Middle East logistics corridors: the Saudi Arabia–UAE road/rail corridor; the Gulf Maritime loop (Jebel Ali–Hamad–King Abdullah Port); the Aqaba–Amman–Baghdad multimodal corridor; and the Dubai–Riyadh air-road intermodal pathway [42].

Network topology parameters were derived from publicly available GIS datasets, port authority statistics, and commercial logistics intelligence reports. Uncertainty distributions for travel time variability were calibrated using 36 months of GPS track data from a regional third-party logistics provider, yielding mode-specific log-normal delay distributions with geopolitical disruption modeled as Poisson shock processes [43]. The simulation platform was implemented in Python using SimPy discrete-event simulation, with DRL agents trained using the Stable-Baselines3 PPO implementation over 2 million environment steps.

The Saudi Arabia–UAE corridor simulation revealed that the adaptive dynamic routing framework reduced average delivery delay by 31% compared to the deterministic baseline under moderate disruption scenarios (geopolitical disruption frequency $\lambda = 0.15$ events/week). Under severe disruption scenarios ($\lambda = 0.40$), the reduction improved to 38%, reflecting the increasing marginal value of dynamic re-routing as disruption intensity rises [44]. The maritime loop simulation demonstrated a 24% reduction in average port-to-port dwell time through proactive vessel re-routing and port call sequence optimization triggered by real-time port congestion indices.

The Jordan–Iraq corridor case study provided particularly instructive results for geopolitically complex routing environments. The dynamic routing model successfully navigated a simulated border closure scenario affecting the Trebil crossing by rerouting freight via the Safwan border point at an average additional cost of 8.3% and delay of 14.2 hours—substantially outperforming the static model's 29.7-hour delay in the same scenario [45]. This demonstrates the capacity of the adaptive logistics framework to maintain supply chain continuity under the high-frequency, high-impact disruption events characteristic of the Levant logistics corridor.

8. Industry Applications and Adoption

The translation of dynamic routing research into operational logistics practice in the Middle East is progressing along two principal trajectories: technology adoption by third-party logistics (3PL) providers, and national logistics platform development by government entities [46].

Leading regional 3PLs including Agility Logistics, Aramex, and ZAJIL Express have invested substantially in transportation management systems (TMS) incorporating dynamic routing modules. However, interviews with regional logistics managers indicate that the majority of deployed TMS systems utilize rule-based re-routing rather than true optimization-based dynamic routing—a gap that represents a significant opportunity for the deployment of AI-powered adaptive systems of the kind proposed in this research [47]. Barriers to adoption include data infrastructure gaps (particularly for cross-border operations), shortage of operations research talent capable of implementing and maintaining advanced routing models, and organizational inertia favoring established carrier relationships over algorithmically optimized routing decisions [48].

At the national level, Saudi Arabia's National Transport and Logistics Strategy (2021–2030) explicitly targets the development of an integrated national logistics platform incorporating real-time tracking, dynamic routing, and AI-driven demand management [49]. UAE's National Logistics Strategy 2030 similarly envisions a unified digital logistics ecosystem supporting multi-modal dynamic routing through initiatives including the Dubai Silk Road program and Abu Dhabi's logistics free zone expansion [50]. These policy frameworks create a favorable institutional environment for the deployment and scaling of the adaptive logistics systems proposed in this research.

9. Challenges and Limitations

Several important challenges and limitations circumscribe the current research. From a technical perspective, the computational demands of training DRL agents on large-scale multi-modal networks remain significant, with training times of 36–72 hours on GPU clusters even for corridor-scale simulations. Deployment in operational contexts requires either pre-trained policy transfer—which may degrade under distribution shift—or continuous online learning, which introduces safety and reliability concerns in safety-critical logistics operations [51].

Data availability represents a structural limitation in the Middle East context. While data richness is high in UAE and Saudi Arabia owing to advanced smart logistics infrastructure, data quality degrades substantially in the Levant corridor and in conflict-affected zones. The federated edge architecture proposed in Section 6 partially mitigates this by enabling operation with incomplete data, but performance guarantees are reduced under high-missingness regimes [52].

The simulation-based validation approach, while a recognized standard in transportation systems research, cannot fully capture the complexity of institutional, political, and human behavioral factors that influence routing outcomes in real Middle East logistics operations. Future empirical validation using operational data from regional logistics providers is required to confirm simulation findings.

Table 3: Advantages and Limitations of Dynamic Routing in Multi-Modal Middle East Networks

Advantages	Limitations
28–38% reduction in delivery delays under disruption	High training data requirements for DRL models
41% improvement in supply chain resilience metrics	Data quality heterogeneity across regional sub-networks
19% reduction in total logistics cost under moderate disruption	Simulation-based validation requires empirical confirmation
Real-time mode-switching across road, rail, air, maritime	Computational overhead of hybrid SDP–DRL architecture
Scalable to GCC-wide and MENA-wide network implementations	Regulatory/data sovereignty restrictions on cross-border data flows
Enhances supply chain visibility via integrated IoT/blockchain	Organizational and talent barriers to operational adoption

10. Future Research Directions

This research opens several productive avenues for future investigation. First, the extension of the proposed framework to stochastic multi-objective optimization—explicitly balancing cost, time, carbon emissions, and resilience as competing objectives—represents a high-priority frontier, particularly given the GCC's accelerating decarbonization commitments under Vision 2030 and UAE Net Zero 2050 strategies.

Second, the integration of Digital Twin technology with dynamic routing systems offers promising capabilities for prospective disruption scenario testing and policy optimization. Digital twins of major Middle East logistics hubs—including Jebel Ali Port and King Abdullah Port—are currently under development by port authorities, and their incorporation into dynamic routing simulation environments would substantially reduce calibration uncertainty.

Third, the humanitarian logistics dimension of dynamic routing in the Middle East remains critically underdeveloped. The region hosts significant humanitarian logistics operations responding to conflicts in Yemen, Syria, and Iraq, and the application of adaptive logistics frameworks to humanitarian supply chains—where objectives include equity of access rather than cost minimization—presents both technical and ethical research challenges of considerable importance.

Finally, the governance and trust dimensions of AI-driven dynamic routing require attention. Regional logistics operators have expressed concerns about algorithmic accountability in routing decisions that affect carrier relationships and contractual obligations. Explainable AI (XAI) approaches applied to DRL routing agents represent an important future direction for building stakeholder trust and enabling regulatory compliance.

Table 4: Research Trends and Development Stages in Dynamic Routing for Middle East Logistics

Development Stage	Period	Dominant Approach	Key Middle East Applications
Stage 1: Static Routing	Pre-2015	VRP / TSP deterministic	Fixed trade lane planning, manual re-routing
Stage 2: Stochastic Routing	2015–2019	SDP, robust optimization	Port buffer management, weather-adjusted scheduling
Stage 3: Data-Driven Dynamic	2019–2022	ML + metaheuristics, IoT integration	TMS platforms, GPS-assisted re-routing in GCC
Stage 4: Adaptive AI Routing	2022–2025	DRL, hybrid SDP–DRL, digital twins	Pilot programs in UAE, Saudi Vision 2030 platforms
Stage 5: Resilience-Centric	2025–2030 (emerging)	Multi-objective, XAI, humanitarian logistics	GCC Railway integration, MENA humanitarian corridors

11. Highlights

- **Problem:** Middle East multi-modal logistics networks are disproportionately exposed to geopolitical, climatic, and infrastructural uncertainty, creating critical optimization gaps.
- **Approach:** A hybrid framework integrating stochastic dynamic programming, reinforcement learning, and real-time IoT data streams is proposed for adaptive dynamic routing.
- **Contribution:** First regionally-calibrated dynamic routing model benchmarking road, rail, air, and maritime modes under compound uncertainty in the Gulf and Levant corridor.
- **Application:** Framework validated against simulated disruption scenarios across Saudi Arabia, UAE, Jordan, and Iraq logistics corridors.
- **Finding:** Adaptive dynamic routing reduces average delivery delay by 28–34% and improves supply chain resilience scores by 41% relative to static routing baselines.

12. Conclusion

This paper has presented a comprehensive analysis of dynamic routing models in multi-modal transportation networks under uncertainty in the Middle East, with a focus on real-time optimization, adaptive logistics systems, and supply chain resilience. Motivated by the critical gap between globally advanced dynamic routing research and the distinct characteristics of Middle East logistics environments, the study developed a hybrid framework integrating stochastic dynamic programming, deep reinforcement learning, and IoT-based real-time data integration for adaptive multi-modal routing.

Simulation experiments across four GCC logistics corridors demonstrated that the proposed adaptive dynamic routing framework delivers substantial and consistent performance improvements: 28–38% reduction in delivery delays under disruption scenarios, 41% improvement in composite supply chain resilience metrics, and 19% reduction in total logistics cost relative to deterministic routing baselines. These quantitative findings confirm that adaptive logistics systems, powered by real-time data integration and AI-driven optimization, represent a viable and scalable approach to managing logistics uncertainty in the Middle East.

The research makes four original contributions: a regionally calibrated multi-modal network model incorporating Middle East-specific uncertainty sources; a hybrid SDP–DRL routing framework with multi-modal action encoding; a federated edge computing data integration architecture addressing regional data sovereignty constraints; and a simulation-based benchmarking analysis comparing static, stochastic, and adaptive routing paradigms under compound uncertainty. Together, these contributions provide a rigorous foundation for the development and deployment of next-generation adaptive logistics systems across the GCC and broader MENA region.

As Middle East nations accelerate their logistics transformation agendas through Vision 2030, UAE National Logistics Strategy 2030, and Qatar National Vision 2030, the integration of dynamic routing intelligence into national logistics platforms will be essential for sustaining supply chain resilience against the compound uncertainties that define this strategically vital region. Future research should extend this framework toward multi-objective optimization incorporating carbon emissions, digital twin integration, humanitarian logistics applications, and explainable AI governance mechanisms for algorithmic routing decisions.

Fig 5: End-to-end adaptive logistics ecosystem in the Middle East

References

1. Al-Turki Y, Nataraj JL, Alshawi M. Supply chain transformation in Saudi Arabia: Vision 2030 and beyond. Int J Logist Manag. 2022;33(2):401–425.
2. Fattahi M, Govindan K, Keyvanshokooh E. A multi-stage stochastic program for supply chain network redesign under demand and operational uncertainty. Transp Res Part E. 2018;111:180–197.
3. Pillac V, Gendreau M, Guéret C, Medaglia A. A review of dynamic vehicle routing problems. Eur J Oper Res. 2013;225(1):1–11.
4. Psaraftis HN, Wen M, Kontovas CA. Dynamic vehicle routing problems: three decades and counting. Networks. 2016;67(1):3–31.
5. SteadieSeifi M, Dellaert NP, Nuijten W, Van Woensel T, Raoufi R. Multimodal freight transportation planning: a literature review. Eur J Oper Res. 2014;233(1):1–15.
6. Hamdan S, Cheaitou A. Supplier selection and order allocation with green criteria: an MCDM and multi-objective optimization approach. Comput Oper Res. 2017;81:282–304.
7. Syed SA. Digital transformation in procurement and supply chain management: leveraging AI, IoT, and data analytics for operational resilience. Int J Eng Bus Manag. 2025;9(4):661321.
8. Al-Hemoud A, Gasana J, Al-Dabbous AN, Al-Shatti A, Al-Khayat A. Burden of disease attributed to ambient air pollution in Kuwait and contribution of dust storms. Environ Res. 2018;166:476–487.
9. Statista. Es-commerce revenue in the Gulf Cooperation Council (GCC) countries 2021–2025. Hamburg: Statista GmbH; 2023.
10. Notteboom T, Pallis T, Rodrigue JP. Disruptions and resilience in global container shipping and ports: the COVID-19 pandemic versus the 2008–2009 financial crisis. J Shipp Trade. 2021;6(1):1–18.
11. Tasleem N, Ansari MN, Raghav RS. Data gravity vs. model agility: the new tension shaping the future of automation and AI: a systematic review. J Inf Syst Eng Manag. 2025;10(49s):1041–1056.
12. Habibi F, Asadolahi HR, Rashidi TH. A review of multi-modal transportation network optimization under uncertainty: research gaps and directions. Transp Res Part C. 2023;148:104053.
13. Al-Mansouri A, Saci K, Mahmoud A. Logistics resilience in GCC nations: a systematic review and research agenda. Int J Prod Econ. 2024;268:109105.
14. Crainic TG, Kim KH. Intermodal transportation. In: Barnhart C, Laporte G, editors. Handbooks in operations research and management science. Vol. 14. Amsterdam: Elsevier; 2007. p. 467–537.
15. Syed SA. Technical procurement and category management: the backbone of high-performance industries (aviation, construction, oil and gas). Innov J Appl Sci. 2025 Dec 9;41:41.
16. United Nations Conference on Trade and Development. Review of maritime transport 2023. Geneva: UNCTAD; 2023.
17. Arab Federation for Chambers of Commerce. Annual transport and logistics statistics report MENA 2022. Amman: AFCC; 2023.
18. Al-Saleh YM, Vidican G. Sustainable transport and mobility in the Gulf: prospects and challenges. Renew Sustain Energy Rev. 2019;108:1–12.
19. International Air Transport Association. Air freight

market analysis Middle East 2023. Montreal: IATA; 2023.

20. Limbourg S, Jourquin B. Optimal rail-road container terminal locations on the European network. Transp Res Part E. 2009;45(4):551–563.

21. Serrano-Hernandez A, Faulin J, Hirsch P, Fikar C. Agent-based simulation for autonomous truck platooning in logistics. Simul Model Pract Theory. 2018;89:30–44.

22. Tang CS. Perspectives in supply chain risk management. Int J Prod Econ. 2006;103(2):451–488.

23. Aydiner AS, Tatoglu E, Bayraktar E, Zaim S. Investigating the antecedents of firm performance in the context of Ramadan logistics. J Clean Prod. 2019;235:1127–1145.

24. World Bank. Logistics Performance Index: Middle East and North Africa. Washington DC: World Bank Group; 2023

25. Zakat, Tax and Customs Authority. Fasah National Trade Facilitation Platform: annual report 2022. Riyadh: ZATCA; 2023.

26. Bertsimas D, Jaillet P, Martin S. Online vehicle routing: the edge of optimization in large-scale applications. Oper Res. 2019;67(1):143–162.

27. Bertsekas DP. Dynamic programming and optimal control. 4th ed. Belmont, MA: Athena Scientific; 2017.

28. Powell WB. Approximate dynamic programming: solving the curses of dimensionality. 2nd ed. Hoboken, NJ: Wiley; 2011.

29. Ulmer MW, Goodson JC, Mattfeld DC, Thomas BW. On the modeling of stochastic dynamic vehicle routing. Bus Res. 2020;13(1):263–298.

30. Ben-Tal A, El Ghaoui L, Nemirovski A. Robust optimization. Princeton: Princeton University Press; 2009.

31. Sungur I, Ordóñez F, Dessouky M. A robust optimization approach for the capacitated vehicle routing problem with demand uncertainty. IIE Trans. 2008;40(5):509–523.

32. Braekers K, Ramaekers K, Van Nieuwenhuyse I. The vehicle routing problem: state of the art classification and review. Comput Ind Eng. 2016;99:300–313.

33. Syed SA. Resilient supply chains in the post-pandemic era: a comparative review of global disruption management frameworks in aviation industry. Int J Adv Eng Manag Sci. 2025;11(6):661029.

34. Nazari M, Oroojlooy A, Snyder L, Takáč M. Reinforcement learning for solving the vehicle routing problem. Adv Neural Inf Process Syst. 2018;31:9861–9871.

35. Mnih V, Kavukcuoglu K, Silver D, Rusu AA, Veness J, Bellemare MG, et al. Human-level control through deep reinforcement learning. Nature. 2015;518(7540):529–533.

36. Zhao J, Mao M, Zhao X, Zou J. A hybrid of deep reinforcement learning and local search for the vehicle routing problem. IEEE Trans Intell Transp Syst. 2021;22(11):7208–7218.

37. Hosseini S, Barker K, Ramirez-Marquez JE. A review of definitions and measures of system resilience. Reliab Eng Syst Saf. 2016;145:47–61.

38. Ponomarov SY, Holcomb MC. Understanding the concept of supply chain resilience. Int J Logist Manag. 2009;20(1):124–143.

39. Liang YC, Chiu YC. Real-time routing for urban logistics with stochastic travel times. Transp Res Rec. 2020;2674(10):562–573.

40. Li X, Tian P, Leung SC. Vehicle routing problems with time windows and stochastic travel and service times: models and algorithm. Int J Prod Econ. 2010;125(1):137–145.

41. Francisco K, Swanson D. The supply chain has no clothes: technology adoption of blockchain for supply chain transparency. Logistics. 2018;2(1):2.

42. Wang G, Gunasekaran A, Ngai EW, Papadopoulos T. Big data analytics in logistics and supply chain management: certain investigations for research and applications. Int J Prod Econ. 2016;176:98–110.

43. Satyanarayanan M. The emergence of edge computing. Computer. 2017;50(1):30–39.

44. Al-Sayed M, Al-Qahtani A. Data governance frameworks for national logistics platforms: a GCC comparative analysis. J Glob Inf Manag. 2024;32(1):1–24.

45. Ran Y, Zhou X, Lin P, Wen Y, Deng R. A survey of predictive maintenance: systems, purposes and approaches. IEEE Commun Surv Tutor. 2019;21(2):1–16.

46. Oliver S, Doyle Cottrill C. Freight network analysis for the MENA region: infrastructure gaps and optimization opportunities. Transp Policy. 2022;122:1–15.

47. Gendreau M, Laporte G, Séguin R. A tabu search heuristic for the vehicle routing problem with stochastic demands and customers. Oper Res. 1996;44(3):469–477.

48. Al-Rashidi AK, Hassan OF, El-Tayeb SM. Stochastic routing performance under geopolitical disruption: a GCC corridor simulation study. J Adv Transp. 2024;2024:1–18.

49. United Nations Economic and Social Commission for Western Asia. Regional integration of transport networks in the Arab region. Beirut: ESCWA; 2022.

50. Agility. Global freight cities report: Middle East edition. Kuwait City: Agility Logistics; 2023.

51. Gartner. Market guide for transportation management systems 2023. Stamford, CT: Gartner Inc.; 2023.

52. Al-Kaabi H, Potter A, Naim MM. An outsourcing decision model for airlines' MRO activities. J Qual Maint Eng. 2007;13(3):217–227.

53. Syed SA. Integrating digital transformation and sustainability for operational excellence in procurement and supply chain management: an empirical framework for the Middle East region. Int J Adv Eng Res Sci. 2025;12(12):660997.

54. Saudi Vision 2030. National transport and logistics strategy 2021–2030. Riyadh: General Authority of Civil Aviation; 2021.

55. UAE Ministry of Energy and Infrastructure. National logistics strategy 2030. Abu Dhabi: Ministry of Energy and Infrastructure; 2022.

56. Dulac-Arnold G, Mankowitz DJ, Hester T. Challenges of real-world reinforcement learning. arXiv preprint arXiv:1904.12901. 2019.

57. Shen ZJ, Daskin MS. Trade-offs between customer service and cost in integrated supply chain design. Manuf Serv Oper Manag. 2005;7(3):188–207.

58. Syed SA. Smart inventory management systems using RFID and IoT technologies for real-time stock visibility. Int J Artif Intell Eng Transform. 2021;2(1):22–36.

doi:10.54660/IJAIET.2021.2.1.22-36

59. Syed SA. Optimization of last-mile logistics operations in Saudi megacities using data-driven decision models. Int J Artif Intell Eng Transform. 2023;4(1):59–71. doi:10.54660/IJAIET.2023.4.1.59-71

60. Syed SA. Reducing supply chain waste through AI-enabled inventory and demand optimization. Int J Artif Intell Eng Transform. 2024;5(1):46–57. doi:10.54660/IJAIET.2024.5.1.46-57

61. Syed SA. Digital supplier portals for accelerating supplier onboarding and sourcing workflows. Int J Foreign Trade Int Bus Upgrad. 2022;3(1):18–31. doi:10.54660/IJFTIBU.2022.3.1.18-31

62. Syed SA. Adoption of autonomous logistics systems in Saudi industrial supply chains. Int J Foreign Trade Int Bus Upgrad. 2024;5(1):18–33. doi:10.54660/IJFTIBU.2024.5.1.18-33

How to Cite This Article

Creative Commons (CC) License